


Carry Freedom in cooperation with USED proudly present the -


CITY - FOLDING GUIDE

Welcome to the CITY folding guide. We want to show you how to fold and unfold the CITY trailer. Take your time and practice a couple of times before trying to impress your friends. This first diagram shows the legend we use for different commands. Diagrams 2. and 3. will help with the parts and the orientation we describe in this guide.


1.



2.



3.





folding



bag




suitcase



trailer

city™

4.




Stand on the nearside of the trailer so that the handle is nearest to you. Rest the trailer on it's trolley wheels and hold it upright by gripping the hinge or hand cuff with your left hand. We find it best to use this position for the whole folding sequence.

1) Using your right hand reach over the top of the trailer and unclip the elastic cord or bungee from the far side wheel hanger.

2) Still holding the frame with your left hand, unfold the handle to it's full extent with your right hand.

A) The elastic cord or bungee holds the whole trailer together when it is folded. It does this by stretching from the handle around the outside of the frame over the top of the compression arm to hook onto the far side wheel hanger.

5.




CITY - FOLDING GUIDE

Make sure that the yellow suspension elastomer is seated properly on the handle hinge surface.

3) Push both handles of the hand cuffs until you hear/feel a firm click.


4) Unfold the near side wheel by pulling it through 90°.

B) The hand cuffs prevent the trailer handle accidentally folding when you are braking. The angle of the hands may be adjusted by turning the hand cuff assembly clockwise or counter clockwise. This should only be done when the handle is in the folded position. Using this feature it is possible to adjust the handle height to fit on all rear wheel sizes keeping the trailer level while riding.



6.

6.) Unfold wheel (farside)



5) With your right hand push the nearside wheel hanger as far down the frame as it will go.

6) Unfold the far side wheel hanger 90°. Use your right hand after you have moved the nearside wheel.

C) When the trailer is unfolded both wheels should come to rest touching the plastic reflector clamps. These are integral to the trailers structure and should not be removed.



folding



bag



suitcase




trailer



city™


7.



It's easy to get this part of the sequence wrong. The diagrams 7/7D/8/9 should help you.

7) Hook the wires onto the frame. The bolt that holds the two wires together hooks like a button onto the triangular "wire brace" plate on the frame. Once the wire is in place you can use your feet to hold the wheels apart. This keeps the wires in tension and makes the next step easier.


D)






CITY - FOLDING GUIDE

8) Apply the compression arm to tension the wires. Make sure the compression arm is the right way up; the “eye” should be pointing down (see diagrams). Rest the bottom of the “hook” on the small aluminium roller, the back face of the “hook” should be against the front face of the “lock”. Push down until the “hook” clicks home on it’s guide, this forces the wheels apart and puts the wires under tension. Warning: Use of excessive force may break the mechanism and should not be necessary. Next move the “lock” so that its nut sits inside the “eye”, fasten this in place by wrapping the velcro around and fastening it to itself.

8.




9.




Practise this step a few times and check the drawings. It's easy when you know how!

CITY - FOLDING GUIDE

10.



11.





You have now completed folding the trailer. Now the bag must be fitted. The long strap should be connected to the rear grab handle of the bag. The bag works better if you assemble with the Carry Freedom logo at the front of the trailer.

9) Place the bag inside the frame with the small grab handles hanging over the frame at the front and back.

10) Hold the front handle against the frame with your left hand while you roll the trailer backwards. The trailer will roll over the long strap, you can then pick this up and connect it to the clip on the front grab handle. The long strap may need to be adjusted in length for this to work smoothly. The straps should pass over the top of the frame at both the front and the back and it's better if the long strap passes under the compression arm. See the diagrams on page 7. Once the bag is in place you are ready to hitch the CITY to your bike. Refer to the main instructions again for further details.

Now you have made it through the folding guide. Follow the instructions as closely as you can. We know the text is difficult to understand sometimes, but it's like trying to write down how to tie your shoes. It's much easier to show someone. We'll have to get a video done soon. Enjoy the CITY.

Contact:

USED GmbH

Am Bahnhof 3

49610 Quakenbrück

Germany

Tel: +49-5431-908998-0

Fax: +49-5431-908998-7

Mail: info@used-HQ.com

Web (USED): www.used-HQ.com

Web (Carry Freedom): www.carryfreedom.com



EMOTION IN MOTION
www.usedhq.com - www.scooterbike.com
www.zactust10.com

**carry
freedom™**